

6



GTG

G



About RAM® Mounts

RAM[®] Mounts manufactures rugged and versatile mounting systems for cameras, tablets and other mobile devices that can be attached nearly anywhere. Unlike other mounts on the market, RAM[®] allows you to mount items where you need them most. The unique design of the RAM[®] Mounts system provides quick installation, adjustability, strength, vibration damping and durability—all at a low cost. Backed by a lifetime warranty, RAM[®] uses powder-coated marine-grade aluminum with lightweight and high-strength composites, stainless steel hardware and rubber balls.

The RAM® Difference



Premium Design

The rubber ball and socket design of our mounting systems offers a secure hold, with near-infinite adjustability and vibration damping for the most demanding environments. With thousands of components trusted by users around the world, we've been able to design and develop mounting solutions that consumers and companies previously only dreamed were possible.



Customizable

Take your phone mount from your truck to your boat, or mix and match components to create your ideal mount. Because of the modularity of the RAM[®] system, you can customize your solution to fit your specific needs in almost any application.



Quality Materials

A premium design deserves the highest quality materials available, from rubber and stainless steel to highstrength composites and marine-grade aluminum. Our facilities—including powder coating, die casting, rubber injection molding, and shock and vibration testing—help us deliver on this promise to bring you inventive mounting solutions.



Lifetime Warranty

It's simple. Our reputation as the leader of premier mounting systems means if we build it, then we guarantee it. We're confident in the quality of our products, and with our warranty, you can be too. Learn more [link: rammount.com/warranty] about our lifetime warranty.

Our Partners

Here at RAM[®] Mounts, we believe that unfathomable things are possible with ingenuity. With a portfolio of over 5,000 SKUs paired with innovative engineers and in-house product experts, we have the tools and expertise needed to create solutions that you didn't know were possible. We have the ability to solve your mounting challenges quickly, efficiently and cost effectively.

No matter your company's size, you can trust RAM® Mounts to deliver ingenious solutions that do exactly what you need them to do.












Table of Contents

- 5 How It Works
- 6 Build a Mount
- 7 Popular Mounting Locations
- 11 Bases
- 27 Arms
- 29 Arm Accessories
- 31 Device Holders & Adapters
- 47 Power Accessories
- 49 Scooters
- 50 ATV/Side-by-Sides
- 51 Dirt Bikes
- 52 Snowmobiles













How It Works

Choose a Device Adapter

RAM® offers a wide selection of adapters and cradles for your specific device.

Choose an Arm

Select an arm based on your desired length and placement.

3

Choose a Base Select from a variety of bases to help secure your device where you need it.



Modular Solutions for Every Use

Slip Resistant

The marine-grade aluminum and composite arm provides a strong hold that reduces slip on the rubber ball

Guaranteed

RAM[®] Mounts offers a lifetime warranty on all mounting hardware

Vibration Damping

The rubber ball absorbs the impact of the road, providing shock and vibration damping

Adjustable

With nearly 360 degrees of articulation, each product may be adjusted to any angle with the turn of a single knob

Build a Mount







RAM[®] Torque[™] Base pg. 12

Brake/Clutch Reservoir Base pg. 16

RAM[®] Tough-Ball[™] Base pg. 26

U-Bolt Handlebar Base pg. 14





Threaded Ball Adapter pg. 25



2


Small RAM[®] Tough-Claw[™] Base pg. 20



3

Handlebar Clamp Base pg. 21





RAM[®] Torque[™] Base pg. 12




2

Bolt Head Flat Base pg. 22



3

Reservoir Cover Base pg. 24











Brake/Clutch Reservoir Base pg. 16




Gas Tank Base pg. 23



Fork Stem Base pg. 18





Seen in this photo: RAM-B-408-75-1-UN7, RAM® Torque[™] Handlebar/Rail Mount with RAM® X-Grip® Phone Holder (shown with Samsung Galaxy S5)

RAM[®] Torque[™] Handlebar Base

RAM[®] Mounts Torque[™] bases fit a variety of rail and bar sizes for secure placement of your device. Sizing inserts create a tight hold while protecting the bar, and the cast aluminum mount is available with a 1" or 1.5" rubber ball that attaches to a RAM[®] arm. Mount your GPS unit, camera, phone or tablet to handlebars, roll cages or even mirror posts.

| Part Number | Diameter Range | Ball Size |
|------------------|----------------|-----------|
| RAM-B-408-37-62 | .375"625" | 1" (B) |
| RAM-B-408-75-1 | .75" - 1" | 1" (B) |
| RAM-B-408-112-15 | 1.125" - 1.5" | 1" (B) |
| RAM-408-75-1 | .75" - 1" | 1.5" (C) |
| RAM-408-112-15 | 1.125" - 1.5" | 1.5" (C) |



RAM-B-408-75-1



RAM-408-112-15

Popular Kits

Utilize the RAM[®] Torque[™] handlebar base to mount a number of devices with the RAM[®] X-Grip[®] and action camera adapter, or even a drink with the RAM[®] Level Cup[™] and RAM[®] Level Cup[™] XL.

| Part Number | Device | Diameter Range | Socket Arm Length |
|--------------------------|--------------------------|----------------|-------------------|
| RAM-B-408-37-62-A-UN7 | Phones up to 3.25" Wide | .375"625" | Short (2.42") |
| RAM-B-408-37-62-UN7 | Phones up to 3.25" Wide | .375"625" | Medium (3.73") |
| RAM-B-408-37-62-A-UN10 | Phones up to 4.5" Wide | .375"625" | Short (2.42") |
| RAM-B-408-37-62-UN10 | Phones up to 4.5" Wide | .375"625" | Medium (3.73") |
| RAM-B-408-75-1-A-UN7 | Phones up to 3.25" Wide | .75" - 1" | Short (2.42") |
| RAM-B-408-75-1-UN7 | Phones up to 3.25" Wide | .75" - 1" | Medium (3.73") |
| RAM-B-408-75-1-A-UN10 | Phones up to 4.5" Wide | .75" - 1" | Short (2.42") |
| RAM-B-408-75-1-UN10 | Phones up to 4.5" Wide | .75" - 1" | Medium (3.73") |
| RAM-B-408-75-1-A-GOP1U | Action Cameras (2-Prong) | .75" - 1" | Short (2.42") |
| RAM-B-408-75-1-A-132U | 16oz Drinks | .75" - 1" | Short (2.42") |
| RAM-B-408-75-1-A-417 | 32oz Drinks | .75" - 1" | Short (2.42") |
| RAM-B-408-112-15-UN7 | Phones up to 3.25" Wide | 1.125" - 1.5" | Medium (3.73") |
| RAM-B-408-112-15-A-UN10 | Phones up to 4.5" Wide | 1.125" - 1.5" | Short (2.42") |
| RAM-B-408-112-15-UN10 | Phones up to 4.5" Wide | 1.125" - 1.5" | Medium (3.73") |
| RAM-B-408-112-15-A-GOP1U | Action Cameras (2-Prong) | 1.125" - 1.5" | Short (2.42") |
| RAM-B-408-112-15-A-132U | 16oz Drinks | 1.125" - 1.5" | Short (2.42") |
| RAM-B-408-112-15-A-UN7 | Phones up to 3.25" Wide | 1.125" - 1.5" | Short (2.42") |



RAM-B-408-75-1-A-UN7




RAM-B-408-112-15-A-UN10



RAM-B-408-75-1-A-417

RAM-B-408-112-15-A-GOP1U



U-Bolt Handlebar Base

This base has a 1" diameter rubber ball designed to sit at right angles on the mounting rail. The zinc-coated and stainless steel U-bolts accommodate rails from .5" to 1.25" in diameter. Black caps are included to cover the exposed ends of the U-bolt and a composite adapter can narrow the minimum diameter of the rail to .5".

| Part Number | Diameter Range | Color | Hardware |
|----------------|----------------|--------|-----------------|
| RAM-B-231Z | .5" - 1.25" | Black | Zinc |
| RAM-B-231 | .5" - 1" | Black | Stainless Steel |
| RAM-B-231-1U | 1" - 1.25" | Black | Stainless Steel |
| RAM-B-231CH | .5" - 1" | Chrome | Stainless Steel |
| RAM-B-231-1CHU | 1" - 1.25" | Chrome | Stainless Steel |
| | | | |






RAM-B-231CH

Popular Kits

The U-Bolt handlebar base is an ideal solution to support the RAM® X-Grip® for phones, universal and Garmin VIRB action camera adapters, the magnetic RAM[®] Power Plate[™] III for radar detectors, and much more.

| Part Number | Device | Socket Arm Length | Part Number | Device | Socket Arm Length |
|--------------------|--------------------------|----------------------|-------------------|--|----------------------|
| RAM-B-149Z-A-UN7U | Phones up to 3.25" Wide | Short (2.42") | RAM-B-149Z-GOP1 | Action Cameras (2-Prong) | Medium (3.73") |
| RAM-B-149Z-UN7 | Phones up to 3.25" Wide | Medium (3.73") | RAM-B-149Z-GA63U | Garmin VIRB Camera | Medium (3.73") |
| RAM-B-149Z-A-UN10U | Phones up to 4.5" Wide | Short (2.42") | RAM-B-132R | 16oz Drinks | Medium (3.73") |
| RAM-B-149Z-UN10 | Phones up to 4.5" Wide | Medium (3.73") | RAM-B-149Z-PD3 | Phones (RAM [®] Quick-Grip [™]) | Medium (3.73") |
| RAM-B-231Z-A-366U | Action Cameras (1/4"-20) | Short (2.42") | RAM-B-149Z-UN4 | Radios | Medium (3.73") |
| RAM-B-231Z-366 | Action Cameras (1/4"-20) | Medium (3.73") | RAM-B-149Z-300-1U | Radar Detectors | Medium (3.73") |
| RAM-B-149Z-A-GOP1 | Action Cameras (2-Prong) | Short (2.42") | RAM-B-149Z-GUN1 | Gun Holsters | Medium (3.73") |





L

Brake/Clutch Reservoir Base

The combination handlebar and brake/clutch reservoir base provides the ultimate flexibility for mounting your device to your motorcycle. The kit contains standard and metric threaded stainless bolts as well as zinc-coated metal U-bolts accommodating rails from .5" to 1.25" in diameter.

| Part Number | Color | Notes |
|---------------|--------|---------------------------------------|
| RAM-B-309-1 | Black | Single Ball |
| RAM-B-309-1CH | Chrome | Single Ball |
| RAM-B-309-2CH | Chrome | Double Ball |
| RAM-B-309-6U | Black | Double Ball |
| RAM-B-309-7 | Black | Single Ball, optional U-Bolt hardware |



Popular Kits

With the brake/clutch reservoir base, keep your phone, action camera or even LED spotlight at your fingertips with the following compatible kits.

| Part Number | Device | Socket Arm Length | Part Number | Device | Socket Arm Lengt |
|-------------------|--------------------------|----------------------|------------------|--------------------|------------------|
| RAM-B-174-A-UN7 | Phones up to 3.25" Wide | Short (2.42") | RAM-B-174-GA63U | Garmin VIRB Camera | Medium (3.73") |
| RAM-B-174-UN7 | Phones up to 3.25" Wide | Medium (3.73") | RAM-B-174-A-132 | 16oz Drinks | Short (2.42") |
| RAM-B-174-A-UN10U | Phones up to 4.5" Wide | Short (2.42") | RAM-B-132-309 | 16oz Drinks | Medium (3.73") |
| RAM-B-174-UN10 | Phones up to 4.5" Wide | Medium (3.73") | RAM-B-174-A-417 | 32oz Drinks | Short (2.42") |
| RAM-B-174-366 | Action Cameras (1/4"-20) | Medium (3.73") | RAM-B-174-UN4 | Radios | Medium (3.73") |
| RAM-B-174-A-GOP1U | Action Cameras (2-Prong) | Short (2.42") | RAM-B-174-300-1U | Radar Detectors | Medium (3.73") |
| RAM-B-174-GOP1 | Action Cameras (2-Prong) | Medium (3.73") | RAM-B-174-152 | LED Spotlight | Medium (3.73") |





Seen in this photo: RAM-B-342, Fork Stem Base RAM-B-201-A, Short Double Socket Arm RAP-B-202-GOP1, Universal Action Camera Adapter (shown with GoPro® HERO 5)

Fork Stem Base

The fork stem base is designed to fit and expand into the cylindrical bore wall of fork stems and will work with stems that measure 12 to 38mm (.5" to 1.49") in diameter. The base is made of powder-coated, marine-grade aluminum and includes a 1" diameter rubber ball.



Popular Kits

Whether you need to mount your phone, action camera or radio, you'll find a compatible kit to get the job done. Secure your device with the RAM[®] X-Grip[®], action camera adapter or RAM[®] Finger-Grip[™].

| Part Number | Device | Socket Arm Length |
|-------------------|--------------------------|-------------------|
| RAM-B-176-A-UN7 | Phones up to 3.25" Wide | Short (2.42") |
| RAM-B-176-A-UN10U | Phones up to 4.5" Wide | Short (2.42") |
| RAM-B-342-366 | Action Cameras (1/4"-20) | Medium (3.73") |
| RAM-B-176-GOP1 | Action Cameras (2-Prong) | Medium (3.73") |
| RAM-B-176-UN4 | Radios | Medium (3.73") |



RAM-B-176-A-UN7




RAM-B-176-A-UN10U



RAM-B-176-GOP1





RAM[®] Tough-Claw[™]

The RAM[®] Mounts Tough-Claw[™] is the perfect mounting base for quick installation and removal on round, square and odd-shaped rails and bars – such as handlebars or roll cages. The RAM[®] Tough-Claw[™] can be clamped on rails from .625" to 2.25" in diameter, making this an ideal solution for mounting tablets, action cameras, phones and much more.







RAP-B-401 1" - 2.25" Diameter

Popular Kits

There are a wide variety of kits available for the versatile and durable RAM[®] Tough-Claw[™], allowing users to take advantage of the RAM[®] X-Grip[®] phone cradle, RAM[®] Level Cup[™] and RAM[®] Level Cup[™] XL drink holders, and the RAM[®] EZ-Roll'r[™] cradle for OtterBox uniVERSE cases.

1" - 1.875" Diameter

| Part Number | Device | Socket Arm Length |
|------------------------|--|----------------------|
| RAM-HOL-UN7-400 | Phones up to 3.25" Wide | n/a (Low Profile) |
| RAM-B-400-A-HOL-UN7BU | Phones up to 3.25" Wide | Short (2.42") |
| RAM-B-400-UN7 | Phones up to 3.25" Wide | Medium (3.73") |
| RAM-B-400-C-UN7U | Phones up to 3.25" Wide | Long (6") |
| RAM-HOL-UN7-400-1U | Phones up to 3.25" Wide | n/a (Low Profile) |
| RAM-HOL-UN10-400 | Phones up to 4.5" Wide | n/a (Low Profile) |
| RAM-HOL-UN10-400-1U | Phones up to 4.5" Wide | n/a (Low Profile) |
| RAM-B-400-A-HOL-UN10BU | Phones up to 4.5" Wide | Short (2.42") |
| RAM-B-400-C-UN10U | Phones up to 4.5" Wide | Long (6") |
| RAM-B-400-OT2U | Apple iPhone with OtterBox uniVERSE Case | Medium (3.73") |
| RAM-B-400-A-366U | Action Cameras (1/4"-20) | Short (2.42") |

| Device | Socket Arm Length |
|--------------------------|--|
| Action Cameras (1/4"-20) | Short (2.42") |
| Action Cameras (1/4"-20) | Medium (3.73") |
| Action Cameras (2-Prong) | Short (2.42") |
| Action Cameras (2-Prong) | Medium (3.73") |
| Action Cameras (2-Prong) | Medium (3.73") |
| Garmin VIRB Camera | Medium (3.73") |
| 16oz Drinks | n/a (Low Profile) |
| 32oz Drinks | n/a (Low Profile) |
| LED Spotlight | Medium (3.73") |
| | Action Cameras (1/4*-20) Action Cameras (1/4*-20) Action Cameras (2-Prong) Action Cameras (2-Prong) Action Cameras (2-Prong) Garmin VIRB Camera 16oz Drinks 32oz Drinks |



RAM-HOL-UN7-400

RAM-B-400-A-HOL-UN10BU

RAP-B-417-400





RAM-B-400-OT2U *Fits with OtterBox uniVERSE Case

Handlebar Clamp Base

This 1" rubber ball base will replace an M8 by 25mm, 30mm or 35mm handlebar bolt. To determine compatibility, measure the bolt length and add 30mm to the length. Screw the ball base onto the handlebar top clamp using one of three included 1.25mm thread pitch bolts: M8 x 55mm, M8 x 60mm and M8 x 65mm.



RAM-B-367

Popular Kits

The handlebar clamp base provides an excellent attachment point for the RAM[®] X-Grip[®] cradle, allowing you to easily secure your phone while on the road. Available in both standard and large sizes.



RAM-B-367-UN7U

RAM-B-367-UN10U





Seen in these photos: RAM-B-367, Handlebar Clamp Base RAM-B-201-A, Short Double Socket Arm RAM-HOL-UN7B, RAM® X-Grip® Phone Holder (shown with Samsung Galaxy S5)



Bolt Head Adapter Bases

The versatile flat base – with a bolt-down area of 2.25" x .875" x .2" – includes a 1" diameter rubber ball and an 11mm hole. The angled base version also includes a 1" diameter rubber ball and a 9mm hole, and a bolt-down area of 1.18" x .75" x .2". Both bolt head adapter bases are often attached to the mirror frame and fit well on exposed bolts.



RAM-B-252 2.25" x .875" Plate 11mm Hole Angled Base



RAM-B-272 1.125" x .75" Plate 9mm Hole



Seen in this photo: RAM-B-252, Bolt Head Flat Base RAM-B-201-A, Short Double Socket Arm RAP-B-202-GOP1, Universal Action Camera Adapter (shown with GoPro® HERO 5)



Seen in this photo: RAM-B-272, Bolt Head Flat Base RAM-B-201-A, Short Double Socket Arm RAP-B-202-GOP1, Universal Action Camera Adapter (shown with GoPro[®] HERO 5)

Gas Tank Base

This base is a low-profile way to get a unique perspective from your action camera or to attach your device where it can be easily accessed. Hardware is included for mounting to the fill port for stock tanks on most popular makes, such as BMW, Honda, Kawasaki, Suzuki and Yamaha.



RAM-B-411U Large Gas Tank Base



RAM-B-410U Small Gas Tank Base

Popular Kits

Securing your phone or action camera using the gas tank base is made easy with these kits. Both the RAM® X-Grip® and action camera adapter are available for the small and large versions of the gas tank base.





| Part Number | Device | Gas Tank Size |
|--------------------|--------------------------|---------------|
| RAM-B-410-A-UN7B | Phones up to 3.25" Wide | Small |
| RAM-B-411-A-UN7B | Phones up to 3.25" Wide | Large |
| RAM-B-410-A-UN10BU | Phones up to 4.5" Wide | Small |
| RAM-B-411-A-UN10BU | Phones up to 4.5" Wide | Large |
| RAM-B-410-A-GOP1U | Action Cameras (2-Prong) | Small |
| RAM-B-411-A-GOP1U | Action Cameras (2-Prong) | Large |





Seen in this photo: RAM-B-410-A-UN10BU, Small Gas Tank Mount with RAM® X-Grip® Phone Holder (shown with Apple iPhone 6+)

Reservoir Cover Base

These bases fit over your existing brake/clutch reservoir cover with either a 1" offset ball or a 1" center ball. The plate dimensions for the center ball base measure 2.87" x 1.82", compared to 4" x 1.82" for the offset ball base.



Seen in this photo: RAM-B-346, Offset Reservoir Cover Base RAM-B-201, Medium Double Socket Arm RAM-B-202, AMPS Round Device Adapter RAP-300-1, RAM® Power Plate[™] III Radar Detector Holder (shown with Valentine One)

Threaded Ball Adapters

Take advantage of your unused mirror sockets with these threaded bases, available with a M10 x 1.25 pitch male thread or a M10 x 1.5 pitch male thread. Both bases feature a RAM® B size (1") ball so you can connect a wide range of mounting solutions.







M10 x 1.5



Seen in this photo: RAM-B-349, Threaded Ball Adapter RAM-B-201-A, Short Double Socket Arm RAM-HOL-UN7B, RAM® X-Grip® Phone Holder (shown with Apple iPhone 7)

RAM[®] Twist and Tilt[™]

The RAM[®] Twist and Tilt[™] threads into the stock mirror location, giving users the ability to twist the mount 360 degrees, while the 1" ball can be tilted 180 degrees. Designed to be discrete and made of die cast marine-grade aluminum, this versatile pivot base provides numerous mounting possibilities.



RAM-B-360

RAM[®] Tough-Ball[™] for Harley Davidson

This low-profile mounting base is designed to mount directly through the mirror holes on a standard Harley-Davidson. The included barrel nut enables you to mount the ball on top or below the hand grips where the mirror holes are located, helping to ensure a clear line of sight.




RAP-B-379-HA1U



Seen in this photo: RAP-B-379-HA1U, RAM® Tough-Ball[®] for Harley Davidson RAM-B-201, Medium Double Socket Arm RAP-B-202-GOP1, Universal Action Camera Adapter (shown with GoPro® HERO 5)





Seen in this photo: RAM-B-309-7, Brake/Clutch Reservoir Base RAM-B-201, Medium Double Socket Arm RAM-HOL-UN7B, RAM® X-Grip® Phone Holder (shown with Apple iPhone 7)

Arms

Black Arms

Available in short, standard and long sizes, RAM® Mounts B size double socket arms accommodate 1" ball bases. RAM® ball and socket technology allows for near infinite adjustability.



RAM-B-201-A Overall length: 2.38" Socket-to-socket: 1.75"



RAM-B-201 Overall length: 3.69" Socket-to-socket: 3"



RAM-B-201-C Overall length: 6" Socket-to-socket: 5.25"

Chrome Arms

Almost all RAM® Mounts you've seen have likely been all black. But our chrome double socket arms-available only in B size (1") - are the perfect match for motorcycle handlebars.



RAM-B-201-ACH Overall length: 2.38" Socket-to-socket: 1.75"




Overall length: 3.69" Socket-to-socket: 3"

Swivel/Ratchet Arms

The double socket swivel arm consists of two 1" open ball sockets with a 360 degree rotation point at the center of the arm. With the multi-pivot arm, a connected swivel joint rotates 180 degrees.



Arm Accessories



Seen in this photo: RAM-B-408-112-15-238U, RAM® Torque[™] Handlebar Mount RAM-HOL-PD3, RAM® Quick-Grip[™] Phone Holder RAM-B-273, RAM® Add-A-Ball[™] Accessory RAM-B-201-A, Short Double Socket Arm RAP-B-202-GOP1, Universal Action Camera Adapter (shown with WASPcam 9905 Wi-Fi)

Arm Accessories

Adapters

With the RAM[®] Mounts Add-A-Ball[™], connect another device to your existing mount by utilizing another 1" ball. To connect two arms, use the RAM[®] double ball adapter.


RAM[®] Pin-Lock[™] Security Knobs

Using a female threaded security knob and key knob, the mixed combination RAM[®] Pin-Lock[™] security knob can replace all knobs on B (1") and C (1.5") size arms and mounts to prevent theft and tampering of your electronics.





Seen in this photo: RAM-B-149Z-UN7, U-Bolt Handlebar Mount With RAM® X-Grip® Phone Holder (shown with Apple iPhone SE) RAM-B-273, RAM® Add-A-Ball[™] Accessory RAM-B-201-A, Short Double Socket Arm RAM-B-202-GA63, Garmin VIRB[™] Camera Adapter



RAM[®] Quick-Grip[™] Wireless Charger

As part of the spring-loaded RAM[®] Quick-Grip[™] family, this

patented, universal waterproof Qi wireless charging cradle allows

the top and bottom cups feature rubber to help hold your device

for single-handed placement and removal of your phone. Both

firmly in place, charging phones that are within the compatible dimensions. Like the RAM[®] Tough-Charge[™], a device tether is

included for added security and peace of mind. In addition, the

RAM[®] Quick-Grip[™] Wireless comes in a variety of mounting kits

so you can mount it nearly anywhere you need it.

RAM[®] Tough-Charge[™] with X-Grip[®] Technology

The RAM[®] Tough-Charge[™] with X-Grip[®] Technology is the world's first patented, universal waterproof wireless charging cradle for phones. Designed with spring-loaded RAM[®] X-Grip[®] Technology, this cradle features an 'X' design that expands and contracts to secure nearly any phone while taking advantage of wireless charging via the Qi standard. For added security and peace of mind, a safety tether is included that's recommended for outdoor applications. On the bottom of the cradle, a support leg can be adjusted to the ideal position or removed altogether. Available in a variety of mounting kits, ensure wireless charging capabilities across a wide range of vehicles.



See page 48 for Power Accessories



RAM[®] Quick-Grip[™]


Capable of holding a broad range of electronics, the spring-loaded grips provide a secure fit for anything from phones to GPS devices. Take advantage of efficient one-handed placement and removal of your device.

RAM[®] Quick-Grip[™]XL

This version of the spring-loaded RAM[®] Quick-Grip[™] holder provides a secure fit for a variety of large phones and other devices. The adjustable side keepers ensure that devices like GPS units and Bluetooth speakers within the listed compatible dimensions will also fit in the holder.

| Height Range | Width Range | Compatible Ball | Height Range | Width Range | Compatible Ball |
|---------------|---------------|-----------------|---------------|------------------------|-------------------------|
| 4.75" - 5.75" | 1.25" - 3.25" | RAM-B-238 | 5.75" - 7.25" | 2.625" - 3.625" | RAM-B-238 |
| | RAM-HO | L-PD3 | | R/AIM* BUICK-GRID=M | I:AIN* UIICK-GIIII** |
| | | | | | |

Seen in this photo: RAM-B-149Z-A-PD3, RAM[®] Quick-Grip[™] Phone Mount with Handlebar U-Bolt Base



RAM[®] X-Grip[®]

The RAM[®] Mounts X-Grip[®] keeps your device secure and accessible, whether suctioned to your windshield or drilled to your console. The unique design of the RAM[®] X-Grip[®] means it can support almost any sized phone with or without a case or sleeve.

Safety Tether (Included)

Ensure added peace of mind with the RAM® X-Grip® Tether, keeping your mounted device safe from excessive wind and G-force. In addition, it adds stability and vibration control when recording video.




RAM-HOL-UN7B Fits phones up to 3.25" wide



Fits phones up to 4.5" wide






Seen in this photo: RAM-B-149Z-UN7, U-Bolt Handlebar Mount with RAM® X-Grip® Phone Holder (shown with Samsung Galaxy S5)

RAM[®] Finger-Grip[™] Universal Holder

This versatile mount features three sets of sturdy flexible fingers that wrap around the device to secure it in the cradle-keeping hold of your device even in the roughest terrain. This cradle is designed to keep radios, GPS devices, phones and more at your fingertips.





Seen in this photo: RAM-B-149Z-UN4, U-Bolt Handlebar Mount With RAM[®] Finger-Grip[™] Device Holder (shown with radio)

Form-Fit Holders

These form-fit cradles provide a secure fit for your device, and are RAM[®] Mounts Compatible[™] with AMPS hole pattern bases so you can easily attach double socket arms and a wide variety of mounts.

| Part Number | Device | Compatible Ball |
|--------------|------------------------------|----------------------|
| RAM-HOL-AP18 | Apple iPhone 6 & 7 | RAM-B-238 |
| RAM-HOL-AP19 | Apple iPhone 6 Plus & 7 Plus | RAM-B-238 |
| RAM-HOL-AP25 | Apple iPhone X & XS | RAM-B-238 |
| RAM-HOL-AP26 | Apple iPhone XR | RAM-B-238 |
| RAM-HOL-AP28 | Apple iPhone 11 | RAM-B-238 |
| RAM-HOL-AP29 | Apple iPhone 11 Pro | RAM-B-238 |
| RAM-HOL-AP30 | Apple iPhone 11 Pro Max | RAM-B-238 |
| RAM-HOL-SPO5 | SPOT X | RAM-B-238 RAM-238 |



RAM-HOL-AP28 iPhone 11



RAM-HOL-AP29 iPhone 11 Pro



RAM-HOL-AP30 iPhone 11 Pro Max




RAM-HOL-AP26 iPhone XR



RAM-HOL-SPO5 SPOT X



Seen in this photo: RAM-HOL-SPO5, RAM[®] EZ-Roll'r[™] Cradle for SPOT X[™]



Seen in this photo: RAM-B-408-112-15-A-GOP1U, RAM® Torque[™] Handlebar Mount With Short Double Socket Arm and Universal Action Camera Adapter (shown with GoPro® HERO 5)

Action Camera Adapters

Capture the best photos and video possible with the help of RAM[®] Mounts camera ball adapters, allowing for the perfect angle and a secure hold. Constructed with the highest quality materials, the RAM[®] ball design dampens shock and vibration so you always get the shot.

GoPro[®] Base Adapter

Specifically designed for GoPro® action cameras, this base adapter replaces the factory mount. Combine it with a RAM® Mounts arm and a two-pronged universal action camera adapter to allow for easily adjustable 360 degree rotation of your camera.





RAP-B-202-GOP1

RAP-B-379-252025





RAP-B-202U-GOP2

RAP-B-GOP2-A-GOP1



Seen in this photo: RAP-B-GOP2-A-GOP1, GoPro® Base Adapter With Short Double Socket Arm and Universal Action Camera Adapter (shown with Garmin VIRB® XE)

RAM[®] Level Cup[™]

This self-leveling cup holder is the perfect accessory for motorcycles, ATVs and more. With two independent self-leveling hinge points that freely swivel, keep your beverage from spilling while taking any rough turns. Ideal for cans and small drinks up to 16oz.



RAM-B-132B

Popular Kits

Choose the kit that works best for your desired mounting location - from dependable rail bases to the brake/clutch reservoir base.



RAM-B-132-400 RAM® Tough-Claw[™] Mount



RAM-B-408-75-1-A-132U RAM® Torque™ Mount



RAM-B-132R U-Bolt Mount



RAM-B-174-A-132 Brake/Clutch Reservoir Mount



Seen in this photo: RAM-B-132-400, RAM[®] Tough-Claw[™] Mount with RAM[®] Level Cup[™] Drink Holder

RAM[®] Level Cup[™] XL

Utilizing similar features to the original RAM[®] Level Cup[™], the RAM[®] Level Cup[™] XL integrates an adjustable height option for accommodating much larger drink sizes, such as tumblers and water bottles. Whether you have a Nalgene, Pelican, Contigo or Hydro Flask, the RAM[®] Level Cup[™] XL will secure most 32oz containers.



Popular Kits

Take advantage of popular rail base kits for the RAM[®] Level Cup[™] XL, or use your existing base with the ball adapter and socket arm kits.



RAP-B-417-400 RAM[®] Tough-Claw[™] Mount



RAM-B-408-75-1-A-417 RAM® Torque[™] Mount



RAM-B-174-A-417 U-Bolt Mount



Seen in this photo: RAM-B-408-112-15, RAM® Torque[™] Rail Base RAM-B-201-A, Short Double Socket Arm RAP-B-417B, RAM® Level Cup[™] XL Drink Holder



Seen in this photo: RAM-B-149Z, U-Bolt Handlebar Mount RAP-S-KNOB3, RAM® Pin-Lock[™] Security Knob RAM-HOL-GA61LU, Locking Cradle for the Garmin dezl[™] 760 (shown with device) RAM-B-349, Threaded Ball Adapter RAM-B-201, Medium Double Socket Arm (shown with Doubletake Adventure Mirror Ball)

When you're on the road less traveled, having the right gear with you is integral to a safe journey. RAM[®] Mounts GPS cradles offer durability, versatility and vibration damping to help get you wherever you're going.

| Part Number | Fits | Compatible Ball | Part Number | Fits | C E |
|---------------|---------------------------------------|--------------------|-----------------|---|---------|
| RAM-HOL-SPO5U | SPOT X [™] | RAM-B-238 | RAM-HOL-GA57U | Garmin nüvi 2557LMT & LT, 2597LMT & 2598LMTHD | F |
| RAM-HOL-ZE6U | Zebra TC51, 52, 56 & 57 | RAM-B-238 | RAM-HOL-GA66LU | Garmin fleet 660 & 670 | 1 |
| RAM-HOL-GA31 | Garmin Approach G5 & Oregon Series | RAM-B-238 | RAM-HOL-GA67 | Garmin nüvi 65, 66, 67 & 68 | F |
| RAM-HOL-GA34 | Garmin nüvi 13xx Series & 24xx Series | RAM-B-238 | RAM-HOL-GA70LU | Garmin dezl 770LMTHD | F |
| RAM-HOL-GA40 | Garmin GPSMAP 73, 78, 78S & 78SC | RAM-B-238 | RAM-HOL-GA71LU | Garmin dezl 570LMT | F |
| RAM-HOL-GA41 | Garmin GPSMAP 62 & 64 Series | RAM-B-238 | RAM-HOL-GA72U | Garmin nüvi 2689LMT | F |
| RAM-HOL-GA46U | Garmin Montana 600, 650 & 680 | RAM-B-238 | RAM-HOL-GA73U | Garmin nüvi 2589LMT | F |
| RAM-HOL-GA50 | Garmin nüvi 50 & 50LM | RAM-B-238 | RAM-B-202-GA76U | Garmin Handheld Units with Spine Adapter | F ir |
| RAM-HOL-GA55U | Garmin nüvi 52 - 58 Series | RAM-B-238 | RAM-HOL-GA76U | Garmin Handheld Units with Spine Adapter | F |
| | | | | | |



RAM-HOL-GA31

RAM-HOL-GA71LU

RAM-B-202-GA76U



Seen in this photo: RAM-B-202-GA76U, Garmin Handheld Units with Spine Adapter RAM-B-201U-A, RAM® Double Socket Arm RAM-B-367U, RAM® Motorcycle Handlebar Clamp Base with M8 Bolts

RAM® Power Plate[™] III Radar Detector Holder

Designed to hold radar detectors and other devices, the RAM[®] Power Plate[™] III features magnets and a metal plate that attaches to the bottom of your radar detector.



Seen in this photo: RAM-B-345, Centered Reservoir Cover Base RAM-B-201, Medium Double Socket Arm RAM-B-202, AMPS Round Device Adapter RAP-300-1, RAM® Power Plate[™] III Radar Detector Holder (shown with Valentine One)

IntelliSkin® with GDS®

Keep your device charged wherever the road takes you. From IntelliSkin[®] sleeves to GDS[®] Docks[™], these solutions for a variety of phones offer a complete mounting and charging system.

| Part Number | Device |
|--------------------|--------------------------|
| RAM-GDS-SKIN-SAM28 | Samsung Galaxy S8 |
| RAM-GDS-SKIN-SAM32 | Samsung Galaxy J7 (2017) |
| RAM-GDS-SKIN-SAM37 | Samsung Galaxy Xcover 4 |
| RAM-GDS-SKIN-SAM39 | Samsung Galaxy S9 |
| RAM-GDS-SKIN-SAM42 | Galaxy Note 9 |
| RAM-GDS-SKIN-SAM44 | Galaxy J3 (2018) |
| RAM-GDS-SKIN-SAM45 | Galaxy J7 (2018) |
| RAM-GDS-SKIN-SAM51 | Galaxy Xcover 4s |
| RAM-GDS-SKIN-SAM45 | Galaxy J7 (2018) |

| Part Number | USB Туре |
|-------------------|---------------|
| RAM-GDS-DOCK-V1U | Micro USB 2.0 |
| RAM-GDS-DOCK-V1CU | USB Type C |

| IntelliSkin [®] HD [™] with GDS [®] | | | |
|--|-----------|--|--|
| Part Number | Device | | |
| RAM-GDS-SKIN-SAM39HD | Galaxy S9 | | |



RAM-GDS-SKIN-SAM28



RAM-GDS-DOCK-V1U







Power Accessories



Seen in this photo: RAM-B-149Z-A-UN14W-V7M, RAM[®] Quick-Grip[™] Waterproof Wireless Charging Handlebar Mount

Power Accessories

Choose from a variety of power options for your wireless cradle and GDS®-enabled dock, including a huge range of charger types.

| Part Number | Charger Type | Input Range | Output | Output Connector Type | Compatible Devices |
|--------------------------|---|-----------------|---|---|---|
| RAM-GDS-CHARGE-USB2QCCIG | 2 port cig charger with Quick Charge support | 12-18VDC | Port 1: Quick Charge 3.0(18W) Port 2: 5V/2.4A (12W) 30W Max | 2 Qty USB-A Female | Any 5V device with a current requirement of 2.4A or less |
| RAM-GDS-CHARGE-V7BU | USB Type-A hardwire | 8-40VDC | 5VDC & 9VDC (QC only) 2.5A Max | 1.2M cable with USB-A Female | Any 5V device with a current requirement of 2.5A or less. Includes support of Apple iOS 2.1/2.4A devices and support for Qualcomm Quick Charge 2.0/3.0 devices |
| RAM-GDS-CHARGE-V7-M55U | DC cable hardwire | 8-40VDC | 5VDC 2.5A Max | 1.2M cable with DC cable | Any 5V device with a current requirement of 2.5A or less |
| RAM-GDS-CHARGE-V7-MUSBU | mUSB hardwire | 8-40VDC | 5VDC & 9VDC (QC only) 2.5A Max | 1.2M cable with Micro-B USB Male | Any 5V device with a current requirement of 2.5A or less. Includes support of Apple iOS 2.1/2.4A devices and support for Qualcomm Quick Charge 2.0/3.0 devices |
| RAM-GDS-CHARGE-V7-USBCU | USB Type-C hardwire | 8-40VDC | 5VDC & 9VDC (QC only) 2.5A Max | 1.2M cable with USB-C Male | Any 5V device with a current requirement of 2.5A or less. Includes support for Qualcomm Quick Charge 2.0/3.0 devices |
| RAM-CHARGE-V7MU | USB Type-A hardwire | 8 - 18VDC | 5-9VDC 2.5A Max | 1.2M cable with USB-A Female | Any 5V device with a current requirement of 2.5A or less |
| RAM-GDS-CHARGE-V3CU | USB Type-C hardwire | 12-24VDC | 5V/3A; 9V/3A; 12V/3A 37.5W Max | 1.2 M cable with USB-C Male | Any device supporting Power Delivery 2.0 up to 36W |
| RAM-GDS-CHARGE-CIGC | GDS® Type-C and Type A 2-Port Cigarette Charger | 12-24V DC | USB-A Output : 5V/3A, 9V/2A, 12V/1.5A. USB 2.0 BC 1.2 5V/1.67A, Apple iOS 2.1A and 2.4A support, Qualcomm QC 3.0 on both Type A and Type C up to 18W each. Type C Power Delivery 3.0:5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2A Max 63W (45W for Type-C & 18W for Type-A) | 1 QTY Type-C Female (Power Delivery) & 1 QTY Type-A Female (QC 3.0), USB-A: Any 5V, 9V or 12V device with a current requirement of 18W or less. Includes support for Qualcomm Quick Charge 2.0 devices and Apple iOS 2.1A and 2.4A | USB-C: Devices supporting USB 3.1 Power Delivery 3.0 up to 20V/2A. |
| RAM-GDS-CHARGE-V3CAU | GDS [®] Hardwire Charger with USB Type C Male Connector and USB Type A Port | 12V - 24V DC | 5V- 15VDC 3A Max | Male Type-C with Female Type-A | Supports any USB-C Device that uses the USB 3.1 PD2.0 standard or higher, with max power up to 36W (5V/3A, 9V/3A, 12V/3A, 15V/2.5A) |




RAM-GDS-CHARGE-USB2QCCIG



RAM-CHARGE-V7MU

Scooters

RAM[®] Mounts offers several mirror base mounting solutions, including the RAM[®] Torque[™] mini rail base. Paired with popular cradles like the RAM[®] X-Grip[®], easily secure your phone and other devices.




ATV/Side-by-Sides

In addition to the large version of the RAM[®] Torque[™] base for handlebars and rails, the RAM[®] Tough-Track[™] is an ideal track solution for ATVs and side-by-sides. Compatible with a wide variety of RAM[®] track bases for devices.



Dirt Bikes

Capture all the action from your dirt bike with the RAM[®] universal action camera adapter. Compatible with a range of RAM[®] rail bases, simply attach any action camera – including GoPro[®] – that features a standard two-pronged attachment.




Snowmobiles

For large rails and bars, trust the versatile RAM[®] Tough-Claw[™] mount and universal action camera adapter to dampen shock and vibration. No tools are needed for installation and removal, so you can use the RAM® Tough-Claw™ wherever and whenever you need it.



The Shape That Started It All



RAM[®] Mounts double socket arms—featuring a distinctive Hourglass Shape—are recognized globally as a symbol of durability, reliability and quality. The Hourglass Shape is a registered trademark of National Products Inc.

The unique RAM[®] Mounts system offers a full line of interchangeable mounting bases, extensions, device adapters and accessories to secure your gear where you want it. See all of the innovative products and solutions RAM[®] manufactures at rammount.com.



The distinctive RAM[®] "X-Grip[®]" product shape is a trademark of National Products Inc.

The distinctive "D" product shape of the GDS[®] connector is a trademark of National Products Inc.



8410 Dallas Avenue South Seattle, WA 98108 Phone: 800.497.7479 sales@rammount.com rammount.com

Lifetime Warranty Patents and Trademarks rammount.com/ip



Contact Us sales@rammount.com 1-800-497-7479

Join Our Community



NPI-CAT-POWSPO18 January 2020

Million .